

# Notice of Allowability

Application No.

10/078,282

Examiner

Evelyn A. Lester

Applicant(s)

MILES

Art Unit

2873

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to an RCE and amendment filed on 12-23-04 and 3-29-05, respectively.
2. ☒ The allowed claim(s) is/are 10 and 40-56.
3. ☒ The drawings filed on 19 February 2002 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).


\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
EVELYN LESTER  
PRIMARY EXAMINER

## **REASONS FOR ALLOWANCE**

1. The following is an examiner's statement of reasons for allowance:

The prior art does not show or fairly suggest the claimed invention of a structure for modulating light and the method of fabricating a reflective display having the claimed structure and claimed limitations, wherein a rejection under 35 USC 102 or 103 would be improper. Please particularly note the combination of claimed elements and claimed limitations, including as recited in claim 10, modulators each having an interference cavity and an optical compensation component coupled to the modulators, which has one or more of a photonic crystal array, a multilayer array of dielectric mirrors and an array of microlenses, wherein the light modulation performed by the interference cavity of each modulator is enhanced, such as the colors and brightness of the display are improved; as recited in claims 40 and 46, an array of interference modulators each comprising specific claimed elements and an optical compensation component coupled to the array to compensate for changes in a color of light, thereby enhancing the performance of the device. Therefore, in light of the Applicants' arguments and/or amendments, the claimed invention is considered to be in condition for allowance as being novel and nonobvious over the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

**Conclusion**


2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Roxlo (U.S. Patent 4,863,245), Chang (U.S. Patent 5,361,383) and Bischel et al (U.S. Patent 6,522,794 B1) are directed to various optical structures, which incorporate interference modulators.

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Evelyn A. Lester whose telephone number is (571) 272-2332. The examiner can normally be reached on M- F, from about 10 am to 7 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Y. Epps can be reached on (571) 272-2328. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Evelyn A. Lester  
Primary Examiner  
Art Unit 2873